

PRODUCT INFORMATION

Tag	C-Flag&Strep Tag
Target	P2RX6
Synonyms	P2RXL1, P2X6, P2XM
Description	Human P2RX6-Strep full length protein-synthetic nanodisc
Delivery	6~8weeks
Uniprot ID	O15547
Expression Host	HEK293
Protein Families	Ion Channels: ATP Receptors
Protein Pathways	N/A
Molecular Weight	The human full length P2RX6-Strep protein has a MW of 48.8 kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	The protein encoded by this gene belongs to the family of P2X receptors, which are ATP-gated ion channels and mediate rapid and selective permeability to cations. This gene is predominantly expressed in skeletal muscle, and regulated by p53. The encoded protein is associated with VE-cadherin at the adherens junctions of human umbilical vein endothelial cells. Alternative splicing results in multiple transcript variants. A related pseudogene, which is also located on chromosome 22, has been identified. [provided by RefSeq, Apr 2009]
Usage	Research use only
Conjugate	Unconjugated

