

**PRODUCT INFORMATION**

|   |  |
|---|--|
| <b>Target</b>                           | SCF  |
| <b>Synonyms</b>                         | SF; MGF; SCF; SLF; DCUA; FPH2; FPHH; KL-1; Kitl; WS2F; SHEP7; DFNA69   |
| <b>Description</b>                      | Recombinant human SCF Protein with C-terminal 10×His tag   |
| <b>Delivery</b>                         | In Stock   |
| <b>Uniprot ID</b>                       | P21583   |
| <b>Expression Host</b>                  | HEK293   |
| <b>Tag</b>                              | C-10×His tag   |
| <b>Molecular Characterization</b>       | SCF(Glu26-His214) 10×His tag   |
| <b>Molecular Weight</b>                 | The protein has a predicted molecular mass of 22.4.0 kDa after removal of the signal peptide.  |
| <b>Purity</b>                           | The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.   |
| <b>Formulation &amp; Reconstitution</b> | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.   |
| <b>Storage&amp;Shipping</b>             | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.  |
| <b>Sterility</b>                        | Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 µm) prior to use.  |
| <b>Background</b>                       | This gene encodes the ligand of the tyrosine-kinase receptor encoded by the KIT locus. This ligand is a pleiotropic factor that acts in utero in germ cell and neural cell development, and hematopoiesis, all believed to reflect a role in cell migration. In adults, it functions pleiotropically, while mostly noted for its continued requirement in hematopoiesis. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008] |
| <b>Usage</b>                            | Research use only  |
| <b>Conjugate</b>                        | Unconjugated   |






Figure 1. Human SCF Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

