

## **PRODUCT INFORMATION**

UCHL1 **Target** 

HEL-117;HEL-S-53;NDGOA;PARK5;PGP **Synonyms** 9.5;PGP9.5;PGP95;SPG79;Uch-L1

Recombinant Human UCHL1 Protein with N-**Description** 

terminal human Fc tag

Delivery In Stock P09936 **Uniprot ID Expression Host HFK293** 

N-Human Fc Tag Tag

Molecular

**Background** 

hFc(Glu99-Ala330) UCHL1(Met1-Cys220) Characterization

The protein has a predicted molecular mass of

50.7 kDa after removal of the signal peptide. The **Molecular Weight** apparent molecular mass of hFc-UCHL1 is

approximately 35-55 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

**Purity** staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before

Formulation & lyophilization. Please see Certificate of Analysis Reconstitution for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.


The protein encoded by this gene belongs to the peptidase C12 family. This enzyme is a thiol protease that hydrolyzes a peptide bond at the C-terminal glycine of ubiquitin. This gene is specifically expressed in the neurons and in cells of the diffuse neurondocrine system. Mutations

of the diffuse neuroendocrine system. Mutations in this gene may be associated with Parkinson disease.[provided by RefSeq, Sep 2009]

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only

Conjugate Unconjugated



/+86-400-006-0995(China)









Figure 1. Human UCHL1 Protein, hFc Tag on SDS-PAGE under reducing condition.



Email: info@dimabio.com Website: www.dimabio.com

