PRODUCT INFORMATION

Tag	C-Flag Tag
Expression Host	HEK293
Target	AQP5
Synonyms	N/A
Description	Mouse Aqp5 full length protein-synthetic nanodisc
Uniprot ID	Q9WTY4
Protein Families	N/A
Protein Pathways	N/A
Molecular Weight	The mouse full length Aqp5 protein has a MW of 28.3 kDa
Delivery	In Stock
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.
Sterility	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 µm) prior to use.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	Forms a water-specific channel (By similarity). Plays an important role in fluid secretion in salivary glands (PubMed:10400615, PubMed:16571723, PubMed:18027168). Required for TRPV4 activation by hypotonicity. Together with TRPV4, controls regulatory volume decrease in salivary epithelial cells (PubMed:16571723). Seems to play a redundant role in water transport in the eye, lung and in sweat glands (PubMed:10619865, PubMed:12042359, PubMed:18027168).
Usage	Research use only
Conjugate	Unconjugated



Figure 1. Elisa plates were pre-coated with C-Flag Tag Aqp5-Nanodisc (0.2μg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with Aqp5-nanodisc is 4.196ng/ml.



Figure 2. Mouse Aqp5-Nanodisc, Flag Tag on SDS-PAGE