

## PRODUCT INFORMATION

<b>Target</b>	B7-H4
<b>Synonyms</b>	VTCN1;B7x;B7s1
<b>Description</b>	Recombinant mouse B7-H4 protein with C-terminal 6×His tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	Q7TSP5
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-6×His Tag
<b>Molecular Characterization</b>	Mouse B7-H4(Phe29-Ser256) 6×His tag
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 26.0 kDa after removal of the signal peptide. The apparent molecular mass of mB7-H4-His is approximately 35-70 kDa due to glycosylation.
<b>Purity</b>	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	Enables signaling receptor binding activity. Acts upstream of or within positive regulation of interleukin-2 production; regulation of T cell activation; and response to protozoan. Located in external side of plasma membrane. Is expressed in hemolymphoid system gland; lung; male reproductive gland or organ; and pancreas. Orthologous to human VTCN1 (V-set domain containing T cell activation inhibitor 1). [provided by Alliance of Genome Resources, Apr 2022]
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated






Figure 1. Mouse B7-H4 Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

