

## PRODUCT INFORMATION

<b>Clone ID</b>	15F4
<b>Target</b>	SEZ6
<b>Synonyms</b>	BSRPC
<b>Host Species</b>	Rabbit
<b>Description</b>	PE-Anti-SEZ6 antibody(15F4), IgG1 Chimeric mAb
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	Q53EL9
<b>IgG type</b>	Rabbit/Human Fc chimeric IgG1
<b>Clonality</b>	Monoclonal
<b>Reactivity</b>	Human
<b>Applications</b>	Flow Cyt
<b>Recommended Dilutions</b>	Flow Cyt 1µl/test
<b>Purification</b>	Purified from cell culture supernatant by affinity chromatography
<b>Formulation &amp; Reconstitution</b>	Liquid,PBS with,0.18%BSA\0.1%Proclin300
<b>Storage&amp;Shipping</b>	Store at 2°C-8°C for 6 months. The protein encoded by this gene is thought to contain five cysteine-rich motifs that are similar to sushi domains, as well as two domains similar to the amino terminal half of the CUB (for complement C1r/C1s, Uegf, Bmp1) domain. Mutations in this gene have been associated with febrile seizures. [provided by RefSeq, Jul 2016]
<b>Background</b>	
<b>Usage</b>	Research use only
<b>Conjugate</b>	PE-conjugated






Figure 1. Flow cytometry analysis with 1 $\mu$ l/test PE-Anti-SEZ6 antibody(15F4) mAb on Expi293 cells transfected with Human SEZ6 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

