

PRODUCT INFORMATION

SynonymsNucleocapsid protein:NP:Protein N:Omicron (B.1.1.520)DescriptionRecombinant SAPS-CoV-2 Nucleocapsid (P13L,E31del,R32del,S33del,R203K,G204R) protein with C-terminal 6xHis tagDeliveryIn StockUniprot IDPODTO9Expression HostHEK293TagC-6xHis TagMolecular CharacterizationNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6xHis tagMolecular evaluar the protein has a predicted molecular mass of 46.3 KDa after removal of the signal peptide. The aparent molecular mass of Nucleocapsid (D63G, R203K, D37TY)-His is approximately 55-70 KDa due to glycosylation.PurityLyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before yophilization. Please see Certificate of Analysis for specific instructions of reconstitution.Storage & ShippingKit references of nucleocapsid protein. Coronavirus ucleoprotein is norther in a greater than 85% as determined by SDS-PAGE and Coomassie blue staining.Storage & ShippingKit references of nucleocapsid protein. Coronavirus nucleoproteins of nucleocapsid protein. Coronavirus contain most of nucleocapsid protein. Coronavirus contain most of nucleocapsid protein. Coronavirus are shipped at ambient temperature. Coronavirus are shipped at ambient temperature. Soronapic are shipped at ambient temperature. Regoring of the conservation of N protein is are shipped at ambient temperature. Reporation of the major components of the nucleolus are shipped at anbient temperature. Reporation of the major components of the mucleolus are shipped at ambient temperature. Reporation are involved in nucleolar assembly and ribosome b	Target	Nucleocapsid
DescriptionRecombinant SARS-CoV-2 Nucleocapsid (P131,E13del,R32del,S33del,R203K,G204R) protein with C-terminal 6×His tagDeliveryIn StockUniprot IDPODTC9Expression HostHEK293TagC6×His TagMolecular CharacterizationNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6×His tagMolecular CharacterizationNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6×His tagMolecular WeightThe protein has a predicted molecular mass of 46.3 kDa after removal of the signal peptide. The apparent molecular mass of Nucleocapsid (D63G, R203M, D377V)-His is approximately 55-70 kDa due to glycosylation.PurityThe purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.Storage & ShippingStore at -20°C to -80°C Cfor 12 months in hypohilized from After reconstitution. Store at -20°C to -20 months in hypohilized form. After reconstitution. Store at -20°C to -20 months in hypohilized form after gezing and thawing). Lypohilized proteins are shipped at ambient temperature. Coronavirus contain most of nucleocapsid protein. Coronavirus contain most of nucleocapsid protein. Coronavirus nucleoproteins (N proteins) localize to the cytoplasm and the nucleolus, a subnuclear a subnuclear at some biogenesis and act as chaperones for the import of moreins into the nucleolus, a subnuclear incells ransfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and act as chaperones for the import of moreins into the nucleolus, a subnuclear a sequence of the nucleolus as chaperones for the import of moreins into the nucleolus, a subnuclear insome biogenesis	Synonyms	
Uniprot IDP0DTC9Expression HostHEK293TagC-6×His TagMolecular CharacterizationNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6×His tagMolecular CharacterizationNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6×His tagMolecular WeightThe protein has a predicted molecular mass of 46.3 kba after renoval of the signal peptide. The apparent molecular mass of Nucleocapsid (D63G, R203M, D377)-His is approximately 55-70 kDa due to glycosylation. The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized form sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized form sterile PBS. Cf or 12 months in lyophilized form sterile PBS. Cf or 12 months in lyophilized form sterile peated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Coronavirus contain most of nucleocapsid protein. Coronavirus nucleoproteins (N proteins) localize to the cytoplasm and the nucleolus, as ubnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the nucleolus are fibrillarin and nucleolar assembly and ribosome biogenesis and act as chaperones for the import of proteins into the nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic.	Description	Recombinant SARS-CoV-2 Nucleocapsid (P13L,E31del,R32del,S33del,R203K,G204R)
Expression HostHEK293TagC-6×His TagMolecular CharacterizationNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6×His tagMolecular WeightNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6×His tagMolecular WeightThe protein has a predicted molecular mass of 	Delivery	In Stock
TagC-6×His TagMolecular CharacterizationNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6×His tagMolecular WeightThe protein has a predicted molecular mass of 46.3 kDa after removal of the signal peptide. The apparent molecular mass of Nucleocapsid (D63G, R203M, D377Y)-His is approximately 55-70 kDa due to glycosylation.PurityThe purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution. Store at -20°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.BackgroundEdstransfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the proteins localize to the cytoplasm and the nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and act as chaperones for the import of proteins in an uncleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic.	Uniprot ID	PODTC9
Molecular CharacterizationNucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R)(Met1-Ala419) 6×His tagMolecular WeightThe protein has a predicted molecular mass of 46.3 kDa after removal of the signal peptide. The apparent molecular mass of Mucleocapsid (D63G, R203M, D37TY)-His is approximately 55-70 kDa due to glycosylation.PurityThe purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Storage & ShippingStorage & ShippingStorage to the cytoplasm and the nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the proteins logenesis and sequesters cell cycle regulatory complexes. Two of the major components of the molecular set involved in nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic.	Expression Host	HEK293
CharacterizationR203K, G204R)(Met1-Ala419) 6×His tagMolecular WeightThe protein has a predicted molecular mass of 46.3 KDa after removal of the signal peptide. The apparent molecular mass of Nucleocapsid (D63G, R203M, D377)-His is approximately 55-70 kDa due to glycosylation.PurityThe purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized from sterile PBC pH 7.4. Normally 5 % trehalose is added as protectants before lyophilized from After reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Coronavirus contain most of nucleocapsid protein. Coronavirus contain most of nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and at as chaperones for the ogneesis and at as chaperones for the import of proteins are involved in nucleolar assembly and ribosome biogenesis and at as chaperones for the import of protein and nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic.	Тад	C-6×His Tag
Molecular Weight46.3 kDa after removal of the signal peptide. The apparent molecular mass of Nucleocapsid (D63G, R203M, D37TY)-His is approximately 55-70 kDa due to glycosylation. The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilized form sterile PBS. pH 7.4. Normally 5 % - 8% trehalose of reconstitution. Storage & ShippingStorage & ShippingStorage & Comparison at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Coronavirus contain most of nucleocapsid protein. Coronavirus and the nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the nucleolus are fibrillarin and nucleolin. These proteins are involved in nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic.		
Puritydetermined by SDS-PAGE and Coomassie blue staining.Formulation & ReconstitutionLyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Coronavirus nucleoproteins (N proteins) localize to the cytoplasm and the nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the nucleolus are fibrillarin and nucleolin. These proteins are involved in nucleolar assembly and ribosome biogenesis and act as chaperones for the import of proteins into the nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic.	Molecular Weight	46.3 kDa after removal of the signal peptide. The apparent molecular mass of Nucleocapsid (D63G, R203M, D377Y)-His is approximately 55-70 kDa
Formulation & Reconstitution- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. Coronavirus contain most of nucleocapsid protein. Coronavirus contain most of nucleocapsid protein. Coronavirus nucleoproteins (N proteins) localize to the cytoplasm and the nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the nucleolus are fibrillarin and nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic.	Purity	determined by SDS-PAGE and Coomassie blue
Storage & ShippingIvophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.BackgroundCoronavirus contain most of nucleocapsid protein. Coronavirus nucleoproteins (N proteins) localize to the cytoplasm and the nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the nucleolus are fibrillarin and nucleolin. These proteins are involved in nucleolar assembly and ribosome biogenesis and act as chaperones for the import of proteins into the nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic.		- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis
 Background Coronavirus nucleoproteins (N proteins) localize to the cytoplasm and the nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the nucleolus are fibrillarin and nucleolin. These proteins are involved in nucleolar assembly and ribosome biogenesis and act as chaperones for the import of proteins into the nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N protein of coronavirus is a tool for diagnostic. 	Storage & Shipping	lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient
	Background	Coronavirus nucleoproteins (N proteins) localize to the cytoplasm and the nucleolus, a subnuclear structure, in both virus-infected primary cells and in cells transfected with plasmids that express N protein. The nucleolus is the site of ribosome biogenesis and sequesters cell cycle regulatory complexes. Two of the major components of the nucleolus are fibrillarin and nucleolin. These proteins are involved in nucleolar assembly and ribosome biogenesis and act as chaperones for the import of proteins into the nucleolus. Regarding of the conservation of N protein sequence and its strong immunogenicity, the N
	Usage	
Conjugate Unconjugated	Conjugate	Unconjugated

Email: info@dimabio.com Website: www.dimabio.com



SARS-CoV-2 (Omicron) Nucleocapsid, C-His Tag Cat. No. PME100688






Figure 1. SARS-CoV-2 Nucleocapsid (P13L, E31del, R32del, S33del, R203K, G204R) Protein, His Tag on SDS-PAGE under reducing condition.

Email: info@dimabio.com Website: www.dimabio.com

