

PRODUCT INFORMATION

Common Name LAG-3,CD223

Synonyms BMS-986016;ONO-4482

Applications ELISA; Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000; Flow Cyt 1:100

Formulation & Reconstitution

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Homo sapiens

IgG type IgG4
Reactivity Human
Target LAG3
Uniprot ID P18627

Description Anti-LAG3 (relatlimab biosimilar)mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquet and s

Storage & Shipping intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

Email: info@dimabio.com Website: www.dimabio.com

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only



Anti-LAG3 (relatlimab biosimilar) mAb ELISA

0.1µg of Human LAG3, His Tagged protein per well




Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ l/well) Human LAG3, His tagged protein ([getskuurl sku="PME100512"]) can bind Anti-LAG3 Neutralizing antibody (BME100062) in a linear range of 0.6-100ng/ml.




Figure 2. Flow cytometry analysis with Anti-LAG3 mAb 1 μ g/ml (relatlimab) on Expi293 cells transfected with human LAG3 (Blue histogram) or Expi293 transfected with irrelevant protein(Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

