

PRODUCT INFORMATION

NTRK3 **Target**

Synonyms gp145(trkC);GP145-TrkC;TRKC

Recombinant human NTRK3 protein with C-**Description**

terminal human Fc tag

Delivery In Stock **Uniprot ID** Q16288 **Expression Host HEK293**

Tag C-Human Fc Tag

Molecular

Molecular Weight

Background

NTRK3(Cys32-Thr429) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

70.9 kDa after removal of the signal peptide. The apparent molecular mass of NTRK3-hFc is

approximately 100-130 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & Reconstitution

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the neurotrophic tyrosine receptor kinase (NTRK) family. This kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. Signalling through this kinase leads to cell differentiation and may play a role in the development of

proprioceptive neurons that sense body position. Mutations in this gene have been associated with medulloblastomas, secretory breast carcinomas and other cancers. Several transcript variants encoding different isoforms have been found for

this gene. [provided by RefSeq, Jul 2011]

Usage Research use only












Figure 1. Human NTRK3 Protein, hFc Tag on SDS-PAGE under reducing condition.



Email: info@dimabio.com Website: www.dimabio.com

