

PRODUCT INFORMATION

TSPAN8 **Target**

Synonyms CO-029;TM4SF3

Recombinant Human TSPAN8 with N-terminal **Description**

human Fc tag

Delivery In Stock **Uniprot ID** P19075 **Expression Host HEK293**

Tag N-Human Fc Tag

Molecular

Background

hFc(Glu99-Ala330) TSPAN8(Lys110-Asn205) Characterization

The protein has a predicted molecular mass of 37.1 kDa after removal of the signal peptide.The **Molecular Weight**

apparent molecular mass of hFc-TSPAN8 is approximately 40-55 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient


temperature.

The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development,

activation, growth and motility. This encoded protein is a cell surface glycoprotein that is known to complex with integrins. This gene is expressed in different carcinomas. The use of alternate polyadenylation sites has been found for this gene. [provided by RefSeq, Jul 2008]

Usage Research use only

Email: info@dimabio.com Website: www.dimabio.com








Figure 1. Human TSPAN8 Protein, hFc Tag on SDS-PAGE under reducing condition.

