

PRODUCT INFORMATION

Common Name 207, GEN-1044 **Synonyms** M6P1;WAIF1;TPBG Conjugate Unconjugated

Applications ELISA; Flow Cyt

Recommended **Dilutions**

ELISA 1:5000-10000; Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Humanized

IgG type Human IgG1 - kappa

Reactivity Human **Target** 5T4 **Uniprot ID** Q13641

Description Anti-5T4 (GEN-1044 biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only



Email: info@dimabio.com








Figure 1. 5T4 protein is highly expressed on the surface of HEK293 cell membrane. Flow cytometry analysis with 15 μ g/mL Anti-5T4 (GEN-1044 biosimilar) mAb (BME100158) on HEK293 cells transfected with human 5T4 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram), and Isotype antibody on HEK293 transfected with irrelevant protein (Orange histogram)

Anti-5T4 (GEN-1044 biosimilar) mAb ELISA

0.2 µg of Human 5T4, His tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human 5T4 Protein, His Tag (PME100123) can bind Anti-5T4 (GEN-1044 biosimilar) mAb (BME100158) in a linear range of 0.64–16 ng/mL.





