

PRODUCT INFORMATION

Common Name 207, GEN-1044

Synonyms M6P1;WAIF1;TPBG

Applications ELISA; Flow Cyt

Recommended DilutionsELISA 1:5000-10000; Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Humanized

IgG type IgG1
Reactivity Human
Target 5T4
Uniprot ID Q13641

Description Anti-5T4 (GEN-1044 biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

Storage & Shipping intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient


témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only



Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China) imail: info@dimabio.com Website: www.dimabio.com





Figure 1. 5T4 protein is highly expressed on the surface of Expi293 cell membrane. Flow cytometry analysis with 15 μ g/mL Anti-5T4 (GEN-1044 biosimilar) mAb (BME100158) on Expi293 cells transfected with human 5T4 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram), and Isotype antibody on Expi293 transfected with irrelevant protein (Orange histogram)

Anti-5T4 (GEN-1044 biosimilar) mAb ELISA

0.2 μg of Human 5T4, His tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human 5T4 Protein, His Tag (PME100123) can bind Anti-5T4 (GEN-1044 biosimilar) mAb (BME100158) in a linear range of 0.64–16 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

