

PRODUCT INFORMATION

Common Name BYM338

Conjugate Unconjugated **Synonyms** AVR2B; ACTR-IIB **Applications** ELISA, Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000, Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Host Species Homo sapiens

IgG type Human IgG1(K214R,L234A,L235A) - Kappa

Reactivity Human **Target** ACVR2B **Uniprot ID** Q13705

Description Anti-ACVR2B(bimagrumab biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store Storage & Shipping

at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient

> Email: info@dimabio.com Website: www.dimabio.com

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only






Figure 1. Flow cytometry analysis with $15\mu g/mL$ Anti-ACVR2B(bimagrumab biosimilar) mAb (BME100228) on HEK293 cells transfected with Human ACVR2B protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).




Figure 2. Flow cytometry analysis with $1\mu g/mL$ Anti-ACVR2B(bimagrumab biosimilar) mAb (BME100228) on HEK293 cells transfected with Human ACVR2A protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com





Anti-ACVR2B(bimagrumab biosimilar) mAb ELISA

0.2 μg of Human ACVR2B, hFc tagged protein per well




Figure 3. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human ACVR2B Protein, hFc Tag (PME101551) can bind Anti-ACVR2B(bimagrumab biosimilar) mAb (BME100228) in a linear range of 0.64–80 ng/mL.In order to specifically detect BME100228, mouse anti-human Fab-specific antibody was used as detection antibody.

Anti-ACVR2B(bimagrumab biosimilar) mAb ELISA

0.2 μg of Human ACVR2A(20-135), His tagged protein per well




Figure 4. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human ACVR2A(20-135) Protein, His Tag (PME101716) can bind Anti-ACVR2B(bimagrumab biosimilar) mAb (BME100228) in a linear range of 0.13–16 ng/mL.





Email: info@dimabio.com

Anti-ACVR2B(bimagrumab biosimilar) mAb ELISA

0.2 μg of Human ACVR2B(19-137), His tagged protein per well




Figure 5. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human ACVR2B(19-137) Protein, His Tag (PME101717) can bind Anti-ACVR2B(bimagrumab biosimilar) mAb (BME100228) in a linear range of 0.64–80 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

