

## **PRODUCT INFORMATION**

GSK3858279 **Common Name** Conjugate Unconjugated **Synonyms** SCYA17, TARC

**Applications ELISA** 

Recommended ELISA 1:5000-10000 **Dilutions** 

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

**Host Species** Homo sapiens

IgG type lgG2(P193T,V235A,G237A,G238S,H268A,V309L,A330S,P331S,S378A) - Kappa

Reactivity Human CCL17 **Target Uniprot ID** Q92583

Description Anti-CCL17(denrakibart biosimilar) mAb

Human

**Delivery** 

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature. Storage & Shipping


Research grade biosimilar. Not for use in therapeutic or diagnostic **Background** 

procedures for humans or animals.

Usage Research use only

## Anti-CCL17(denrakibart biosimilar) mAb ELISA

0.2 μg of Human CCL17, hFc tagged protein per well



Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Website: www.dimabio.com



Anti-CCL17(denrakibart biosimilar) mAb

Cat. No. BME100474



Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human CCL17 Protein, hFc Tag (PME101461) can bind Anti-CCL17(denrakibart biosimilar) mAb(BME100474)in a linear range of 625–1250 ng/mL.In order to specifically detect BME100474, mouse anti-human Fab-specific antibody was used as detection antibody.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

