Cat. No. BME100227



## **PRODUCT INFORMATION**

**Common Name** HuC110-34 Conjugate Unconjugated

CD355 **Synonyms** 

**Applications** ELISA, Flow Cyt

Recommended **Dilutions** 

ELISA 1:5000-10000, Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

**Host Species** Humanized

IgG type Human IgG4(L235E) - kappa

Reactivity Human **Target CRTAM Uniprot ID** 095727

**Description** Anti-CRTAM(HuC110-34 biosimilar) mAb

**Delivery** In Stock

Storage & Shipping

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized antibodies are shipped at ambient

Email: info@dimabio.com Website: www.dimabio.com

témperature.

Research grade biosimilar. Not for use in

**Background** therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only



## Anti-CRTAM(HuC110-34 biosimilar) mA ELISA

0.2 μg of Human CRTAM, mFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human CRTAM Protein, mFc Tag (PME101547) can bind Anti-CRTAM(HuC110-34 biosimilar) mAb (BME100227) in a linear range of 3.20–400 ng/mL.




Figure 2. Flow cytometry analysis with  $15\mu g/mL$  Anti-CRTAM(HuC110-34 biosimilar) mAb (BME100227) on HEK293 cells transfected with Human CRTAM protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

