Cat. No. BME100089



PRODUCT INFORMATION

BFCR-4350-A, BFCR-4350A, RG-6160, **Common Name**

RO-7187797 Unconjugated

BXMAS1;CD307;CD307e;FCRH5;IRTA2;PRO820 **Synonyms**

Applications ELISA; Flow Cyt

Recommended

Conjugate

ELISA 1:5000-10000; Flow Cyt 1:100 Dilutions

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Host Species Humanized

IgG type Human IgG1 - kappa

Reactivity Human FCRL5 **Target Uniprot ID** Q96RD9

Anti-FCRL5(cevostamab biosimilar without anti-Description

CD3 portion) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

Email: info@dimabio.com Website: www.dimabio.com

temperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only





Anti-FCRL5(cevostamab biosimilar without anti-CD3 portion) mAb ELISA

0.2 μg of Human FCRL5, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human FCRL5 Protein, His Tag (PME100625) can bind Anti-FCRL5(cevostamab biosimilar without anti-CD3 portion) mAb (BME100089) in a linear range of 0.61–39.06 ng/mL.




Figure 2. Flow cytometry analysis with 1 μ g/mL Anti-FCRL5 (cevostamab biosimilar) mAb (BME100089) on HEK293 cells transfected with Human FCRL5 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).



Email: info@dimabio.com Website: www.dimabio.com



Cat. No. BME100089



Anti-FCRL5(cevostamab biosimilar without anti-CD3 portion) mAb ELISA

0.2 μg of Human FCRL5, mFc tagged protein per well




Figure 3. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human FCRL5(745-847) Protein, mFc Tag (PME101495) can bind Anti-FCRL5(cevostamab biosimilar without anti-CD3 portion) mAb (BME100089) in a linear range of 0.64-80 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

