

PRODUCT INFORMATION

Common Name AMG 477, REMD-477

Conjugate Unconjugated

Synonyms Glucagon receptor; GL-R

Applications Flow Cyt

Recommended

Dilutions

Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Host Species Homo sapiens

IgG type Human IgG2 - Kappa

Reactivity Human **Target GCGR Uniprot ID** P47871

Description Anti-GCGR(volagidemab biosimilar) mAb

Delivery In Stock

Storage & Shipping

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Email: info@dimabio.com Website: www.dimabio.com

Lyophilized proteins are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only






Figure 1. Flow cytometry analysis with 1 μ g/mL Anti-GCGR (volagidemab biosimilar) mAb (BME100142) on HEK293 cells transfected with Human GCGR protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com