

## **PRODUCT INFORMATION**

**Common Name** GC33, RG7686, RO5137382

DGSX;GTR2-2;MXR7;OCI-5;SDYS;SGB;SGBS;SGBS1 **Synonyms** 

Conjugate Unconjugated **Applications** ELISA; Flow Cyt

Recommended

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions** 

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

**Host Species** Humanized

IgG type Human IgG1 - kappa

Reactivity Human GPC3 **Target Uniprot ID** P51654

**Description** Anti-GPC3(codrituzumab biosimilar) mAb

**Delivery** In Stock

> Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

**Background** 

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans

Email: info@dimabio.com Website: www.dimabio.com

**Usage** Research use only





## Anti-GPC3 (codrituzumab biosimilar) mAb ELISA

0.1 µg of Human GPC3, hFc tagged protein per well





Figure 1. ELISA plate pre-coated by 1  $\mu$ g/mL (100  $\mu$ L/well) Human GPC3 Protein, hFc Tag (PME100113) can bind Anti-GPC3 Neutralizing antibody (BME100083) in a linear range of 1.12-508.85 ng/mL. In order to specifically detect BME100083, mouse anti-human Fab-specific antibody was used as detection antibody.



**Figure 2.** Flow cytometry analysis of Huh-7 cells stained with 1  $\mu$ g/mL Anti-GPC3 (codrituzumab biosimilar) mAb (BME100083) (Blue histogram) and unstained Huh-7 cells as a negative control (Red histogram).

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

