

## **PRODUCT INFORMATION**

Clone ID **DM53** B7-H3 **Target** 

**Synonyms** B7-H3; CD276; B7 homolog 3; B7H3

**Host Species** Rabbit

Biotinylated Anti-B7-H3 antibody(DM53); Rabbit Description

mAb

**Delivery** 2-3 weeks **Uniprot ID** Q5ZPR3 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human

**Applications** ELISA; Flow Cyt

Recommended

**Background** 

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene belongs to the immunoglobulin superfamily; and thought to participate in the regulation of T-cell-mediated immune response. Studies should the the transcript of this gene is ubiquitously expressed in normal tissues and solid tumors; the protein is preferentially expressed only in tumor tissues. Additionally; it was observed that the 3' UTR of

this transcript contains a target site for miR29 microRNA; and there is an inverse correlation between the expression of this protein and miR29 levels; suggesting regulation of expression of this gene product by miR29. Alternatively spliced transcript variants encoding different isoforms

have been found for this gene.

**Usage** Research use only


Conjugate Biotinylated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or


**DIMA Disclaimer** reverse engineering attempt is prohibited. We are

actively scrutinizing all patent application to ensure no IP infringement.

Email: info@dimabio.com Website: www.dimabio.com







**Figure 1.** 1e5 of HEK293 cell line were stained with 100  $\mu$ L of 1:1000 diluted Biotinylated Anti-B7-H3 antibody (DM53), Rabbit mAb (Blue histogram) or isotype control (Red histogram) respectively, washed and then stained with Streptavidin APC. The experimental samples were analyzed by flow cytometry.

Email: info@dimabio.com Website: www.dimabio.com

