

PRODUCT INFORMATION

AFP **Target**

Synonyms AFPD;FETA;HPAFP

Recombinant human AFP protein with C-terminal Description

human Fc tag

Delivery In Stock **Uniprot ID** P02771 **Expression Host HEK293**

Tag C-Human Fc Tag

Molecular

Molecular Weight

Storage & Shipping

Background

AFP(Arg19-Val609) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

92.6 kDa after removal of the signal peptide. The apparent molecular mass of AFP-hFc is

approximately 100-130 kDa due to glycosylation. The purity of the protein is greater than 90% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes alpha-fetoprotein, a major plasma protein produced by the yolk sac and the liver during fetal life. Alpha-fetoprotein expression

in adults is often associated with

hepatocarcinoma and with teratoma, and has prognostic value for managing advanced gastric cancer. However, hereditary persistance of alphafetoprotein may also be found in individuals with no obvious pathology. The protein is thought to be the fetal counterpart of serum albumin, and the alpha-fetoprotein and albumin genes are

present in tandem in the same transcriptional orientation on chromosome 4. Alpha-fetoprotein is found in monomeric as well as dimeric and trimeric forms, and binds copper, nickel, fatty acids and bilirubin. The level of alpha-fetoprotein in amniotic fluid is used to measure renal loss of

protein to screen for spina bifida and

anencephaly.

Usage Research use only

Conjugate Unconjugated

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com








Figure 1. Human AFP Protein, hFc Tag on SDS-PAGE under reducing condition.

Human AFP,hFc Tagged protein ELISA

0.2 µg of Human AFP, hFc tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human AFP Protein, hFc Tag(PME100075) can bind Anti-AFP antibody(DMC281), IgG1 Chimeric mAb in a linear range of 0.64–16 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

