

PRODUCT INFORMATION

C-Flag Tag Tag

Target CAV1

Synonyms BSCL3; CGL3; LCCNS; MSTP085; PPH3; VIP21

Human CAV1 full length protein-synthetic **Description**

nanodisc **Delivery** In Stock **Uniprot ID** Q03135 **Expression Host HEK293**

Protein Families Druggable Genome, Transmembrane

Protein Pathways Focal adhesion, Viral myocarditis

The human full length CAV1 protein has a MW of **Molecular Weight**

20.3 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before Formulation & Reconstitution lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping Lyophilized proteins are shipped at ambient

temperature.

The scaffolding protein is the main component of the caveolae plasma membranes found in most cell types. The protein links integrin subunits to the tyrosine kinase FYN, an initiating step in coupling integrins to the Ras-ERK pathway and promoting cell cycle progression. The gene is a tumor suppressor gene candidate and a negative regulator of the Ras-p42/44 mitogen-activated kinase cascade. Caveolin 1 and caveolin 2 are

located next to each other on chromosome 7 and express colocalizing proteins that form a stable hetero-oligomeric complex. Mutations in this gene have been associated with Berardinelli-Seip congenital lipodystrophy. Alternatively spliced transcripts encode alpha and beta isoforms of

caveolin 1.

Usage Research use only Conjugate Unconjugated

Background





ELISA assay to evaluate CAV1-Nanodisc 0.2µg Human CAV1-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag CAV1-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with CAV1-Nanodisc is 4.671 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com



Figure 2. Human CAV1-Nanodisc, Flag Tag on SDS-PAGE