

PRODUCT INFORMATION

FGF19 **Target**

Synonyms FGF-19; UNQ334/PRO533

Recombinant human FGF19 Protein with C-**Description**

terminal human Fc tag

Delivery In Stock **Uniprot ID** 095750 **Expression Host HEK293**

Tag C-Human Fc tag

Molecular

Background

FGF19(Leu25-Lys216) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of **Molecular Weight**

47.6 kDa after removal of the signal peptide. The apparent molecular mass of FGF19-hFc is

approximately 35-55 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell


survival activities, and are involved in a variety of biological processes including embryonic development cell growth, morphogenesis, tissue repair, tumor growth and invasion. This growth

factor is a high affinity, heparin dependent ligand for FGFR4. Expression of this gene was detected only in fetal but not adult brain tissue. Synergistic interaction of the chick homolog and Wnt-8c has been shown to be required for initiation of inner ear development. [provided by RefSeq, Jul 2008]

Usage Research use only

Conjugate Unconjugated












Figure 1. Human FGF19 Protein, hFc Tag on SDS-PAGE under reducing condition.



