

PRODUCT INFORMATION

Tag	C-Flag Tag
Target	GPR55
Synonyms	LPIR1
Description	Human GPR55 full length protein-synthetic nanodisc
Delivery	3-4 weeks
Uniprot ID	Q9Y2T6
Expression Host	HEK293
Protein Families	Druggable Genome, GPCR, Transmembrane
Protein Pathways	N/A
Molecular Weight	The human full length GPR55 protein has a MW of 36.6 kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene belongs to the G-protein-coupled receptor superfamily. The encoded integral membrane protein is a likely cannabinoid receptor. It may be involved in several physiological and pathological processes by activating a variety of signal transduction pathways. [provided by RefSeq, Aug 2013]
Usage	Research use only
Conjugate	Unconjugated



ELISA assay to evaluate GPR55-Nanodisc 0.2 μ g Human GPR55-Nanodisc per well




Figure1. Elisa plates were pre-coated with Flag Tag GPR55-Nanodisc (0.2 μ g/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with GPR55-Nanodisc is 11.86ng/ml.

kDa M R



Figure2. Human GPR55-Nanodisc, Flag Tag on SDS-PAGE

