

## **PRODUCT INFORMATION**

**MYDGF Target** 

UPF0556 protein C19orf10;stromal cell-derived growth factor SF20;C19orf10;Myeloid-derived **Synonyms** 

growth factor; MYDGF

Recombinant Human Myeloid-derived Growth Factor is produced by our E.coli expression

system and the target gene encoding Ser33-Leu173 is expressed with a 6His tag at the N-

terminus.

In Stock **Delivery Uniprot ID** Q969H8 **Expression Host** E.coli

Tag

**Description** 

**Background** 

Molecular Not available Characterization

Molecular Weight 18 KDa

Greater than 95% as determined by reducing **Purity** 

SDS-PAGE.

Formulation & Lyophilized from a 0.2 µm filtered solution of 4mM Reconstitution

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store Storage & Shipping

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

Myeloid-derived growth factor (MYDGF) is a secreted protein which belongs to the UPF0556 family. MYDGF was strongly expressed in spleen, prostate and lung, and weakly expressed in the left ventricle and liver. Bone marrow-derived monocyte and paracrine-acting protein promotes cardiac myocyte survival and adaptive angiogenesis for cardiac protection and/or repair

after myocardial infarction (MI). MYDGF stimulates endothelial cell proliferation through a MAPK1/3-, STAT3- and CCND1-mediated signaling pathway. It inhibits cardiac myocyte apoptosis in a PI3K/AKT-dependent signaling pathway. MYDGF is involved in endothelial cell proliferation and angiogenesis. It may serve as a prototypical example for the development of protein-based

> Email: info@dimabio.com Website: www.dimabio.com

therapies for ischemic tissue repair.

Research use only **Usage** 



Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)






Figure 1. Greater than 95% as determined by reducing SDS-PAGE.



Email: info@dimabio.com Website: www.dimabio.com