

PRODUCT INFORMATION

NTRK1 **Target**

Synonyms MTC;p140-TrkA;TRK;Trk-A;TRK1;TRKA

Recombinant Human NTRK1 Protein with C-**Description**

terminal human Fc tag

Delivery In Stock **Uniprot ID** P04629 **Expression Host HEK293**

Tag C-Human Fc Tag

Molecular

Molecular Weight

Background

NTRK1(Ala33-Phe410) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

67.4 kDa after removal of the signal peptide. The apparent molecular mass of NTRK1-hFc is

approximately 70-130 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & Reconstitution

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the neurotrophic tyrosine kinase receptor (NTKR) family. This kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. The presence of this kinase leads to cell differentiation and may play a role in specifying sensory neuron subtypes.

Mutations in this gene have been associated with congenital insensitivity to pain, anhidrosis, self-mutilating behavior, cognitive disability and cancer. Alternate transcriptional splice variants of this gene have been found, but only three have

been characterized to date. [provided by RefSeq, Jul 2008]

Usage Research use only

Conjugate Unconjugated












Figure 1. Human NTRK1 Protein, hFc Tag on SDS-PAGE under reducing condition.



