

PRODUCT INFORMATION

XCR1 **Target**

Synonyms GPR5; CCXCR1

Recombinant human XCR1 Protein with C-**Description**

terminal human Fc tag

Delivery In Stock **Uniprot ID** P46094 **Expression Host HEK293**

Tag C-Human Fc tag

Molecular

Background

XCR1(Met1-Thr31) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

29.7 kDa after removal of the signal peptide. The apparent molecular mass of XCR1-hFc is **Molecular Weight**

approximately 35-55 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping

at -80°C (Avoid repeated freezing and thawing).Lyophilized proteins are shipped at

ambient temperature.

The protein encoded by this gene is a chemokine receptor belonging to the G protein-coupled receptor superfamily. The family members are

characterized by the presence of 7

transmembrane domains. The encoded protein

transduces a signal by increasing the intracellular calcium ion level. The viral macrophage

inflammatory protein-II is an antagonist of this receptor and blocks signaling. Some studies have implicated a cluster of genes at 3p21.31,

including this gene, as associated with COVID-19 risk. The encoded protein may also play a role in

Email: info@dimabio.com Website: www.dimabio.com

cell proliferation and migration in several types of cancer. [provided by RefSeq, Jan 2023]

Usage Research use only

Conjugate Unconjugated








Figure 1. Human XCR1 Protein, hFc Tag on SDS-PAGE under reducing condition.



